

(e) transferring the data from the buffer memory when all the data corresponding to all portions of all elements in the band is written in the buffer memory,

and including:

determining the relative layer of the overlapping elements,

wherein the portions of the elements in the band are transferred to the buffer memory in an order which corresponds to the determined relative layer of the overlapping elements.

D1 same as 14
4. (Original) A page composition method according to claim 3 wherein certain of the pixel data values are indicated as being opaque and wherein pixel data from an underlying layer is replaced by data from an overlying opaque layer.

same as 15
5. (Previously Presented) A page composition method according to claim 3 wherein certain of the pixel data values are indicated as being transitional in nature and wherein the data in the buffer is a combination of the data in an overlapping layer and an underlying layer.

same as 16
6. (Original) A page composition method according to claim 5 wherein the combination of data is a weighted average of the pixel values in the upper and lower layers.

R 7. (Previously Presented) A page composition method according to any of claims 1-6 wherein after transfer of data, corresponding to a band, to a buffer memory is completed, the data is transformed into bit mapped form suitable for printing.

R 8. (Previously Presented) A page composition method according to any of claims 1-6 wherein after all of the data corresponding to a given band to a buffer memory is completed, (c) - (e) are repeated for a second band.

R 9. (Original) A page composition method according to claim 8 wherein data for the second band is placed in a second buffer memory.

R 10. (Original) A page composition method according to claim 9 wherein the data corresponding to the second band is transformed in bit mapped form suitable for printing after data from the first band is so transformed.

R 11. (Previously Presented) A page composition method according to any of claims 1-6 and including zeroing the pixel values in a buffer memory after data in the memory is transferred therefrom.

R 12. (Original) A page composition method according to claim 11 and including repeating (c) -(e) for an additional band, wherein said data is written into a buffer memory into which data for another band was written previously after such data was transferred therefrom.

Carlson R 13. (Previously Presented) A page composition method according to claim 2 and including:
determining the relative layer of the overlapping elements.

wherein the portions of the elements in the band are transferred to the buffer memory in an order which corresponds to the determined layer of the overlapping elements. C. 7, L. 27-38.

Carlson R 14. (Previously Presented) A page composition method according to claim 13 wherein certain of the pixel values are indicated as being opaque and wherein pixel data from the underlying layer is replaced by data from an overlying opaque layer. C. 7, L. 28-67 & C. 8, L. 1-22.

Carlson R 15. (Previously Presented) A page composition method according to claim 13 wherein certain of the pixel values are indicated as being of a transitional nature and wherein the data in the buffer is a combination of the data in an overlapping layer and in an underlying layer.

R 16. (Previously Presented) A page composition method according to claim 15 wherein the combination of data is a weighted average of the pixel values in the upper and lower layers.

Carlson R 17. (New) A page composition method according to any of claims 1-6 wherein overlapping elements comprise elements selected from image and line work elements. C. 1, L. 47-50.

Liguori R 18. (New) A page composition method according to any of claims 1-6 wherein the overlapping elements are color elements and wherein separate color separations are generated for each color.

C. 4, L. 1-5 → C. 17, L. 64-67
2 C. 18, L. 1-2